



Montageanleitung Mounting instructions Instructions de montage

Hawa **Libra** 20 H IS/FS



1 Türe Door Porte		No. 041.3015.071	
2x	2x	1x	1x
2x	2x	1x	1x
2x	2x	1x	1x
2x	2x	2x	2x

2 Türen Doors Portes		No. 041.3015.072	
4x	4x	1x	1x
4x	4x	1x	1x
4x	4x	1x	1x
4x	4x	4x	4x

Zubehör / Accessories / Accessoires

Laufschiene Alu, eloxiert, gelocht


Running track aluminium, anodized, predrilled
Rail de roulement en alu, anodisé, percé

Gr./Size

2500 mm

Art. No.

041.3037.250




Abdeckschiene Alu, eloxiert

Track cover aluminium, anodized
Rail de recouvrement en alu, anodisé

2500 mm

041.3029.250



Führungsschiene Alu, gelocht

Guide track aluminium, anodized, predrilled
Rail de guidage en alu, anodisé, percé

2500 mm


3500 mm

6000 mm

056.3079.250

056.3079.350

056.3079.600




Zusatzführung für Gegengewicht höher als 500 mm

Additional guide for counterweight higher than 500 mm
Guidage supplémentaire pour contrepoids plus haut que 500 mm



1x

041.3036.171



Winkelprofil, Alu eloxiert, für Alurahmen-Design, mit Doppelklebeband

Angled profile, aluminium anodized, for aluminium frame design, with double-sided adhesive tape

Cornière, aluminium anodisé, pour design cadre alu, avec bande collante double-face

2500 mm


3500 mm

6000 mm

040.3153.250

040.3153.350

040.3153.600



Eckverbinder zu 040.3153, Kunststoff grau


Corner connector for 040.3153, plastic grey


Ferrure d'assemblage d'angle pour 040.3153, plastique gris







4x

040.3154.051









	(X)	(Y)
FS	50 mm	26 mm
IS	(D) + 53	(D) + 29




L		KIM 2 -46
		KIM 2 - (D) -49




F




G



H




I




	IS	FS
L	KIM-4	KIM + 2x KS-3mm
X	51,5	52 + (KS)
Y	25	9,5 + (KB)


K




L




M




N





O




P





Q






Empfehlung / Recommendation


KIM= 600	H>350
KIM= 700	H>370
KIM= 800	H>400
KIM= 900	H>430
KIM=1000	H>450
KIM=1100	H>470
KIM=1200	H>490
KIM=1300	H>510
KIM=1400	H>530
KIM=1500	H>540
KIM=1600	H>560




U




V




W




X




X




Y







Z



Einbaubeispiele / Mounting examples / Exemples de montage

FORSLIDE (FS)



INSIDE (IS)

