

CATALOGUE **X40/X45**



20

19

UNIVERSAL SYSTEMS FOR **FRAMELESS DOORS**



FRAME TYPES

FRAME TYPE T	6
FRAME TYPE V	8
FRAME TYPE TU	10

TECHNICAL INFORMATION

TECHNICAL INFORMATION	14
VENTILATION GAPS	14
WALL COVERING POSSIBILITIES	15
FIXING PROFILE TYPES	16
FRAME TYPES	17


XINNIX HARDWARE

HINGES	20
MAGNETIC LOCKS	22
HANDLE FREE SOLUTIONS	26
FINISHING PROFILE	27
DOOR HANDLES AND ACCESSORIES	28
UNIVERSAL INTEGRATED PLINTH	34



EXPLODED VIEW

EXPLODED VIEW	36
---------------	----







FRAME **TYPE**




- × Identical visual door height
- × Reversible LEFT and RIGHT
- × Reversible FLUSH PUSH and FLUSH PULL
- × 1 door + 1 frame make 8 installation positions




1 XINNIX FRAME + 1 DOOR = 8 POSITIONS



INSTALLATION **PULL** EU LEFT




INSTALLATION **PULL** EU RIGHT




INSTALLATION **PUSH** EU LEFT




INSTALLATION **PUSH** EU RIGHT








- × Same door height - different view
- × LEFT or RIGHT handed
- × Reversible FLUSH PUSH and FLUSH PULL installation
- × 1 door + 1 frame makes 4 installation positions




1 XINNIX FRAME + 1 DOOR = 4 POSITIONS



INSTALLATION **PULL** EU LEFT




INSTALLATION **PULL** EU RIGHT




INSTALLATION **PUSH** EU LEFT



INSTALLATION **PUSH** EU RIGHT



X40-TU/X45-TU REDUCIBLE FRAMES FOR FLEXIBLE WAREHOUSING



1x



PUSH / PULL

LEFT / RIGHT

MAXIMUM DOOR HEIGHT	MINIMUM DOOR HEIGHT
2410 mm (X40/X45)	2110 mm
2710 mm (X45)	2410 mm
3010 mm (X45)	2710 mm

FRAME TYPE TU



- × One frame = 8 installation positions
- × Three frames cover all door dimensions from 2110 up to 3010 mm
- × No difference between LEFT and RIGHT
- × Reversible FLUSH PUSH and FLUSH PULL installation

REVERSIBLE HINGE POSITIONS

HINGE TYPES A24/X4030	DOOR HEIGHT	HINGE TYPE TE 340 (ONLY X45)
3 hinges	Frame 2410 mm reducible to 2110 mm	2 hinges
4 hinges	Frame 2710 mm reducible to 2410 mm	3 hinges
5 hinges	Frame 3010 mm reducible to 2710 mm	4 hinges

A24.0



X4030



TE340 3D



REVERSIBLE LOCK SERIES D70

XA-D70BB.CS	Magnetic lock with key 8x90 mm – STANDARD LOCK
XA-D73WC.CS	Magnetic lock WC bathroom 8x8x95 mm
XA-D78PZ.CS	Magnetic lock PZ europrofile cylinder 8x85 mm



BB - key



WC - bathroom



PZ - cylinder





TECHNICAL **INFORMATION**


TECHNICAL INFORMATION



FRAME TYPE		DOOR SIZE	MIN. WALL THICKNESS		WHITE	BLACK
			FU	FUL		
X40		40 mm	70 mm	100 mm	•	•
X45		44-45 mm	75 mm	105 mm	•	MOQ

VENTILATION GAPS

STANDARD



STOCK ITEMS

STANDARD WIDTH

630 680
710 726 730 780
810 818 826 830 880
910 930 980
1030

STANDARD HEIGHT

2015 2040
2115
2315

Hp = Height door panel (max 3000mm)
Wp = Width door panel
Vb = Upper ventilation gap
Vo = Under ventilation gap
Vneg = Negative ventilation
Hk0 = Height floor - height handle
Hk = Height handle on door

WALL COVERING POSSIBILITIES



PLASTERBOARD




PLASTERING



LAMINATED



WOOD VENEER



STONE AND TILE




GLASS AND MIRROR

	STANDARD FRAME	SPECIAL FRAME
PULL	●	
PUSH	●	
PULL	●	
PUSH	●	
PULL		GO TO SERIES X2
PUSH	●	
PULL		GO TO SERIES X2
PUSH	●	
PULL		GO TO SERIES X2
PUSH	●	
PULL		GO TO SERIES X2
PUSH	●	

FIXING PROFILE TYPES


FU : UNIVERSAL FIXING PROFILE

Integrated adjustment screws for easy installation
Standard for frames with 3 hinges
Minimum finished wall thickness ≥ 70 mm
Installation at any time possible




FUL : LARGE UNIVERSAL FIXING PROFILE

Integrated adjustment screws for easy installation
Standard for frames with 4 hinges or more
Minimum finished wall thickness ≥ 100 mm
Installation at any time possible




FF75 : FINISHED FIXING PROFILE FOR X40

Fixed finished wall thickness 72/75 mm
Installation during wall construction :
wall fixing to the frame instead of frame fixing to the wall




FF100 : FINISHED FIXING PROFILE FOR X40

Fixed finished wall thickness 98/100 mm
Installation during wall construction :
wall fixing to the frame instead of frame fixing to the wall



FRAME TYPES



Hinge A24 – X4030

$Wf = Wp + 55$


$Ww = Wp + 70$

Hinge TE340 3D (X45)

$Wf = Wp + 70$

$Ww = Wp + 85$

System for 3-sided rebated doors



Hinge A24 – X4030

$Wf = Wp + 55$



$Ww = Wp + 70$

Hinge TE340 3D (X45)

$Wf = Wp + 70$

$Ww = Wp + 85$

System for 2-sided rebated doors



Hinge A24 – X4030

$Wf = Wp + 55$

$Ww = Wp + 70$

Hinge TE340 3D (X45)

$Wf = Wp + 70$

$Ww = Wp + 85$

System for riser doors 4-sided rebated doors



Hp = Height doorpanel (max 3000mm)

Wp = Width doorpanel

Vb = Upper ventilation gap

Hf = Height doorframe

Wf = Width doorframe

Hw = Opening height wall

Ww = Opening width wall





XINNIX **HARDWARE**



**STANDARD
HINGE FOR OUR
STOCK FRAMES**

A24

- Reversible left-right
- Elegant finish due to its invisible attachment
- Slim elegant shape: width of only 24mm
- Opening angle of 180°
- Easy installation (by one person)
- Independent 3D – adjustment
(side +- 1 mm, height +- 2 mm, pressure +- 1 mm)
- 110 x 24 x 27 mm
- White hinges for white frames
- Black hinges for black frames

ORDER CODE	DESCRIPTION
XA-A24.*	Hinges A24 for a Xinnix profile

* 0= white 1= alu F1 2= black

DIFFERENT SYSTEMS	X40	X45
POSSIBLE COMBINATIONS	•	•

CLASSIFICATION KEY

2	7	3	1	1	*	0	10
---	---	---	---	---	---	---	----

*depending on the finish

Load capacity
60 kg per 3 hinges
80 kg per 4 hinges



TECTUS TE340 3D

- Reversible left and right
- Opening angle of 180°
- Independent 3D – adjustment
(side +- 3 mm, height +-3 mm, pressure +- 1 mm)
- 160 x 28 x 33.5 mm
- White hinges for white frames
- Black hinges for black frames
- Other colours on request

ORDER CODE	DESCRIPTION
XA-TE340.*	Hinges Tectus 340 3D

* 0= white 1= alu F1 2= black

DIFFERENT SYSTEMS	X40	X45
POSSIBLE COMBINATIONS	-	•


CLASSIFICATION KEY

3	7	4	1	1	*	6	0	11	6
---	---	---	---	---	---	---	---	----	---

*depending on the finish

Load capacity
80 kg per 2 hinges





X4030

- Reversible left-right
- Elegant finish due to its invisible attachment
- Slim elegant shape: width of only 24mm
- Opening angle of 180°
- Easy installation (by one person)
- Independent 3D – adjustment
(side +- 1 mm, height +- 2 mm, pressure +- 1 mm)
- 110 x 24 x 27 mm
- White hinges for white frames
- Black hinges for black frames

Load capacity
60 kg per 3 hinges
80 kg per 4 hinges

ORDER CODE	DESCRIPTION
X4030.*	Hinges X4030


* W= white G= grey B= black

DIFFERENT SYSTEMS	X40	X45
POSSIBLE COMBINATIONS	•	•

CLASSIFICATION KEY

2	7	3	1	4	0	0	11
---	---	---	---	---	---	---	----

* depending on the finish



X4030-SC

- Self-closing hinge with adjustable integrated softclose
- Ideal for ceiling high doors without upper rail
- Reversible left and right
- Easy installation (by one person)
- Independent 3D – adjustment
(side +- 1 mm, height +- 2 mm, pressure +- 1 mm)
- White hinges for white frames
- Black hinges for black frames

Closing capacity
45 kg

ORDER CODE	DESCRIPTION
X4030-ARM-SC.*	Self-closing hinge X4030

* W= white B= black

DIFFERENT SYSTEMS	X40	X45
POSSIBLE COMBINATIONS	•	•



XINNIX LOCK - REVERSIBLE VERSION

Available in 3 versions with different locking possibilities:

- Key hole 8x90 mm
- WC lock 8x8x95 mm
- Euro profile cylinder 8x85 mm

- 8 mm square spindle
- Flush, high-quality appearance
- Low wear since the latch no longer strikes the frame
- Finish mat chromed
- Silent closing
- Maintenance free
- Front plate available in stainless steel 190 x 22 mm

ORDER CODE	DESCRIPTION
XA-D70BB.CS	Magnetic lock - 8 x 90 mm E=50
XA-D73WC.CS	Magnetic lock - 8 x 8 x 95 mm E=50
XA-D78PZ.CS	Magnetic lock - 8 x 85 mm E=50

! For milling plans see website

ORDER CODE	DESCRIPTION
XA-I97.*	Magnetic counterstrike

* W= white I= alu B= black



XINNIX DIN LOCK - LATCH VERSION

Available in 3 versions with different locking possibilities:

- Key hole 8x72 mm
- WC lock 8x8x78 mm
- Euro profile cylinder 8x72 mm
- 8 mm square spindle
- Silent closing
- Maintenance free
- Flush, high-quality appearance
- Low wear since the latch no longer strikes the frame
- Front plate available in white, black lacquered and stainless steel 235 x 20 mm
- White locks for white frames
- Black locks for black frames

ORDER CODE		DESCRIPTION
XA-R15*.55XINBB.TH	🔑	Xinnix R15 DIN lock E=55 BB
XA-R17*.55XINWC.TH	🔑	Xinnix R17 DIN lock E=55 WC
XA-R19*.55XINPZ.TH	🔑	Xinnix R19 DIN lock E=55 PZ

* W= white I= alu B= black

ORDER CODE	DESCRIPTION
XA-I97.*	Magnetic counterstrike for R15-R17-R19

* W= white I= alu B= black

XINNIX DIN LOCK - LATCH AND BOLT VERSION

- Available in 3 versions with different locking possibilities:
 - Key hole 8x72 mm
 - WC lock 8x8x78 mm
 - Euro profile cylinder 8x72 mm
- Silent closing
- Maintenance free
- Front plate available in white, black lacquered and stainless steel 235 x 20 mm
- Tested according to UNI EN 12209
- White locks for white frames
- Black locks for black frames

ORDER CODE		DESCRIPTION
XA-R35*.55XINBB.TH	🔑	Xinnix R35 DIN lock E=55 BB
XA-R37*.55XINWC.TH	🔑	Xinnix R37 DIN lock E=55 WC
XA-R59*.55XINPZ.TH	🔑	Xinnix R59 DIN lock E=55 PZ

* W= white I= alu B= black

ORDER CODE	DESCRIPTION
XA-I97.*	Magnetic counterstrike for R35-R37-R59

* W= white I= alu B= black

MAGNETIC LOCKS

KFV LOCK - LATCH VERSION

- 8 mm square spindle
- Silent closing
- Flush, high-quality appearance
- Low wear since the latch no longer strikes the frame
- Maintenance-free since the latch bevel does not need to be lubricated
- Stainless steel front plate 235 x 20 mm

ORDER CODE	DESCRIPTION
XA-KFV116F	☞ Magnetic lock KFV 116 F - Inox - 20 x 235 mm E=55

ORDER CODE	DESCRIPTION
XA-KFV116TP-F	Magnetic counterstrike for KFV116F

KFV LOCK- LATCH AND BOLT VERSION

Available in 3 versions

- Key hole
- WC-lock
- Cylinder-lock

ORDER CODE	DESCRIPTION
XA-KFV116BB	☞ Magnetic lock KFV 116 Key Standard - Inox - 8X72 E=55
XA-KFV116WC	☒ Magnetic lock KVF 116 WC - Inox - 8X8X78 E=55
XA-KFV116PZ	☞ Magnetic lock KVF 116 Cylinder - Inox - 8X72 E=55

ORDER CODE	DESCRIPTION
XA-KFV116TP-BB	Magnetic counterstrike for KFV116

I HANDLE FREE SOLUTIONS

NO-HA MINI

- Smooth opening and closing of the door
- Design: the panel of the door is completely smooth
- Maintenance free
- Front plate available in mat chrome 190 x 22 mm
- Fits into the standard milling of the counterstrike without modifying the frame but the handle height varies and the door needs an other milling plan

ORDER CODE	DESCRIPTION
XA-937 1	No-Ha Mini WC Magnetic lock - Satin Chrome - $\varnothing$ 6 mm
XA-938 2	No-Ha Mini Magnetic lock - Satin Chrome

XA-998NH.CS	Magnetic strike small for No-Ha
-------------	---------------------------------

XA-NH003I	Cover plate - 85 x 43 x 3 mm - INOX
XA-NH004M	Cover plate - 85 x 43 x 4 mm - MDF
XA-NH006M	Cover plate - 85 x 43 x 6 mm - MDF
XA-NH016M	Cover plate - 85 x 43 x 16 mm - MDF



NO-HA SLIDE

- Silent and smooth opening and closing of the door
- Design: the panel of the door is completely smooth
- Safe for children
- Reliability: no moving elements
- Maintenance free

! For swing doors in combination with XA-NZ p.26



ORDER CODE	DESCRIPTION
XA-NHNS105	No-Ha handle for sliding door >27 mm - 1 sided
XA-NHNS200	No-Ha handle for sliding door 38-42 mm - 2 sided
XA-NHNS205	No-Ha handle for sliding door 43-47 mm - 2 sided
XA-NHNS210	No-Ha handle for sliding door 48-52 mm - 2 sided
XA-NHNS250	No-Ha handle for cupboard door >19 mm - 1 sided

I HANDLE FREE SOLUTIONS

NO-HA LOCCO & CARTEL



- CarTEL and LocCO are used to lock the toilet door on the inner side without indicating anything on the outside part of the door
- Minimalist appearance
- Stainless steel brushed finish

ORDER CODE	DESCRIPTION
XA-NHCARTEL	No-Ha CarTEL WC set simple face
XA-NHLOCCO	No-Ha LocCO WC set simple face

NZ[®]



- Magnetic roller lock set (2 pieces)
- Can be combined with pull handle, knob and No-Ha Slide
- Functions for both swing and pivoting doors
- Fits into the standard milling of the counterstrike

ORDER CODE	DESCRIPTION
XA-NZ.G	Magnetic roller lock NZ - Grey
XA-NZ.W	Magnetic roller lock NZ - White
XA-NZ.B	Magnetic roller lock NZ - Black

NZ 190/290



- Magnetic roller lock with frontal plate to cover the milling of a lock in the door
- Front plate available in stainless steel
- Set of 1 NZ + 1 long front plate
- Can be combined with pull handle, knob and No-Ha Slide
- Functions for both swing and pivoting doors
- Fits into the standard milling of the counterstrike

ORDER CODE	DESCRIPTION
1 XA-NZ190.G	Magnetic roller lock NZ - grey - 190 x 22 mm
2 XA-NZ290.G	Magnetic roller lock NZ - grey - 290 x 22 mm
3 XA-NZ190.NH	Magnetic roller lock NZ - grey - 190 x 22 mm- to change magnetic No-Ha lock

FINISHING PROFILE FOR DIFFERENT WALL THICKNESS



Plasterboard 9 mm with an integrated corner bead for easy finishing for all types wall thickness.

POSSIBLE DIMENSIONS - STANDARD PACKAGING (5 PIECES)

ORDER CODE	DESCRIPTION
XA-FIN2200/120/5	Plasterboard with corner alu 2200x120x9 mm
XA-FIN2200/120/5	Plasterboard with corner alu 2200x260x9 mm
XA-FIN2600/120/5	Plasterboard with corner alu 2600x120x9 mm
XA-FIN3000/120/5	Plasterboard with corner alu 3000x120x9 mm
XA-FIN3000/260/5	Plasterboard with corner alu 3000x120x9 mm

PACKAGING IN DOOR SETS

ORDER CODE	DESCRIPTION
XA-KFIN2088/140/KE1	Set for 1 door: 2x 2088x140x9 mm + 1x 1044x140x9 mm
XA-KFIN2200/120/KE1	Set for 1 door: 2x 2200x120x9 mm + 1x 1100x120x9 mm
XA-KFIN2200/120/KE1	Set for 2 doors: 4x 2200x120x9 mm + 2x 1100x120x9 mm
XA-KFIN2600/120/KE1	Set for 1 door: 2x 2600x120x9 mm + 1x 1100x260x9 mm
XA-KFIN2600/120/KE2	Set for 2 doors: 4x 2600x120x9 mm + 2x 1100x120x9 mm

DOOR HANDLES AND ACCESSORIES



XINNIX series 001 handle without rose anodized black

ORDER CODE	DESCRIPTION
XA-A001.B	Door handle without rose - Anodised black

! For more details visit the website



XINNIX series 001 fixed knob anodized black

ORDER CODE	DESCRIPTION
XA-AK001.B	Fixed knob - Anodised black

! For more details visit the website



XINNIX series 002 handle anodised black

ORDER CODE	DESCRIPTION
XA-A002.B	Door handle without rose - Lacquered black

! For more details visit the website



BB



PZ

KEY HOLE ROSES

ORDER CODE	DESCRIPTION
XA-A001BB.B	BB set - Anodised black
XA-A001PZ.B	PZ set - Anodised black

! For more details visit the website



BACKSIDE



FRONTSIDE

PRIVACY SETS

ORDER CODE	DESCRIPTION
XA-A001WC.B	Privacy set - Anodised black



BACKSIDE



FRONTSIDE

ORDER CODE	DESCRIPTION
XA-A002WC.40.B	Privacy set - Anodised black 40 mm
XA-A002WC.50.B	Privacy set - Anodised black 40 mm

DOOR HANDLES AND ACCESSORIES



XINNIX series 001 handle without rose lacquered in white

ORDER CODE	DESCRIPTION
XA-A001.W	Door handle without rose - Lacquered white

! For more details visit the website



XINNIX series 001 fixed knob lacquered in white

ORDER CODE	DESCRIPTION
XA-AK001.W	Fixed knob - Lacquered white

! For more details visit the website



XINNIX series 002 handle lacquered white

ORDER CODE	DESCRIPTION
XA-A002.W	Door handle without rose - Lacquered white

! For more details visit the website



BB



PZ

KEY HOLE ROSES

ORDER CODE	DESCRIPTION
XA-A001BB.W	BB set - Lacquered white
XA-A001PZ.W	PZ set - Lacquered white

! For more details visit the website



BACKSIDE



FRONTSIDE

PRIVACY SETS

ORDER CODE	DESCRIPTION
XA-A001WC.W	Privacy set - Lacquered white



BACKSIDE



FRONTSIDE

ORDER CODE	DESCRIPTION
XA-A002WC.40.W	Privacy set - Lacquered white 40 mm
XA-A002WC.50.W	Privacy set - Lacquered white 50 mm

DOOR HANDLES AND ACCESSORIES



HORIZONTAL VERSION

- 180 x 45 mm
- In pairs

ORDER CODE	DESCRIPTION
XA-H180.NS	Horizontal pull - Mat nickel
XA-H180.W	Horizontal pull - White
XA-H180.B	Horizontal pull - Black



VERTICAL VERSION

- 160 x 25 mm
- Per piece

ORDER CODE	DESCRIPTION
XA-H160.NS	Vertical pull - Mat nickel
XA-H160.W	Vertical pull - White
XA-H160.B	Vertical pull - Black

DOOR HANDLES AND ACCESSORIES



- Pair of lever handles in stainless steel AISI 316L
- Lever handle with return spring
- Galvanized steel spindle, 8 mm
- Length 150 x 30 mm

ORDER CODE	DESCRIPTION
XA-RF150	Door handle - Satin stainless steel
XA-RF150.P	Door handle - Bright stainless steel



- Pair of lever handles in stainless steel AISI 316L
- Lever handle with return spring
- Galvanized steel spindle, 8 mm
- Length 140 x 30 mm

ORDER CODE	DESCRIPTION
XA-RF140	Door handle - Satin stainless steel



- Pair of lever handles in stainless steel AISI 316L
- Lever handle with concealed rose with return spring
- Galvanized steel spindle, 8 mm
- Length 180 x 30 mm

ORDER CODE	DESCRIPTION
XA-RF180	Door handle ELICA - Satin stainless steel



- Fixed knob in stainless steel AISI 316L
- Length 60 x 30 mm

ORDER CODE	DESCRIPTION
XA-RF150.004.50L	Xinnix handle with knob EU L
XA-RF150.004.50R	Xinnix handle with knob EU R



PRIVACY SET

ORDER CODE	DESCRIPTION
XA-RF.WC	Privacy set RF-Serie - Satin stainless steel



ORDER CODE	DESCRIPTION
XA-RF.WC.P	Privacy set RF-Serie - Bright stainless steel

DOOR HANDLES AND ACCESSORIES



- Pair of lever handles in stainless steel AISI 316L
- Lever handle with return spring
- Galvanized steel spindle, 8 mm
- Length 130 x 30 mm

ORDER CODE	DESCRIPTION
XA-IT2001	Handle in AISI 316L - Satin stainless steel



PRIVACY SET

ORDER CODE	DESCRIPTION
XA-IT.WC	WC set IT-Series - Satin stainless steel



BB

PZ

KEY HOLE ROSES

ORDER CODE	DESCRIPTION
XA-IT.BB	BB set IT-Series - Satin stainless steel
XA-IT.PZ	PZ set IT-Series - Satin stainless steel



- Pair of lever handles in stainless steel AISI 316L
- Lever handle with return spring
- Galvanized steel spindle, 8 mm
- Length 130 x 30 mm

ORDER CODE	DESCRIPTION
XA-IT151	Handle in AISI 316L - Satin stainless steel



PRIVACY SET

ORDER CODE	DESCRIPTION
XA-IT002.WC	Xinnix WC set - Square series - Satin stainless steel



BB

PZ

KEY HOLE ROSES

ORDER CODE	DESCRIPTION
XA-IT002.BB	Xinnix BB set - Square series - Satin stainless steel
XA-IT002.PZ	Xinnix PZ set - Square series - Satin stainless steel

DOOR HANDLES AND ACCESSORIES



- Pair of lever handles in stainless steel AISI 316L
- Lever handle without return spring
- Galvanized steel spindle, 8 mm
- Length 135 x 50 mm

ORDER CODE	DESCRIPTION
XA-2016	Handle in AISI 316L - Satin stainless steel



- Pair of lever handles in stainless steel AISI 316L
- Lever handle without return spring
- Galvanized steel spindle, 8 mm
- Length 135 x 50 mm

ORDER CODE	DESCRIPTION
XA-2016L	L Handle in AISI 316L - Satin stainless steel



PRIVACY SET

ORDER CODE	DESCRIPTION
XA-2033	Xinnix WC set 4 mm round series - Satin stainless steel




KEY HOLE ROSES

ORDER CODE	DESCRIPTION
XA-BB	BB set 4 mm round series - Satin stainless steel
XA-PZ	PZ set 4 mm round series - Satin stainless steel




ORDER CODE	DESCRIPTION
XA-004.BB	BB escutcheon oval - Satin stainless steel
XA-004.PZ	PZ escutcheon oval - Satin stainless steel
XA-004.BB.P	BB escutcheon oval - Bright stainless steel
XA-004.PZ.P	PZ escutcheon oval - Bright stainless steel

UNIVERSAL INTEGRATED PLINTH




MINIMALISTIC PLINTH FOR FLUSH INSTALLATION


- Minimalistic dimensions: 50 x 13 mm
- Untreated, natural mat anodized or white/black coated profiles
- Possibility to glue a stainless steel top plate on the cover profile
- All installation and adjustment pieces are available
- Mechanically fixed or glued invisible in the wall construction
- Precious timeless finish



XP50-C001




XP50-C002



XP50-C003




XP50+45




XP50-45

ORDER CODE	DESCRIPTION
XP50-3000.B	Base plinth 3000 mm - Raw
XP50-3000.A	Base plinth 3000 mm - Anodised F1
XP50-3000.W	Base plinth 3000 mm - White primer
XP50-3000.BL	Base plinth 3000 mm - Black primer
XP50-3000.B.COVER	Cover plinth 3000 mm - Raw
XP50-3000.A.COVER	Cover plinth 3000 mm - Anodised F1
XP50-3000.W.COVER	Cover plinth 3000 mm - White primer
XP50-3000.BL.COVER	Cover plinth 3000 mm - Black primer
XP50-C001	Connection part for 2 lengths
XP50-C002	Junction part for a XINNIX frame
XP50-C003	End piece for a clean stop
XP50-A045	Reversible precut angle XP50 +45° -45°


ONE BASE FOR DIFFERENT VERSIONS




Negative version -9 mm
- XP50



Flush version with cover
XP50 + XP50-Cover



Flush version with HPL
or stone plinth
XP50 + plinth (not included)




Flush version with cover and
stainless steel top plate
XP50 + XP50-Cover + XP50-RVS

UNIVERSAL INTEGRATED PLINTH

MINIMALISTIC PLINTH FOR FLUSH INSTALLATION


- Minimalistic dimensions: 50 x 4 mm
- All installation and adjustment pieces are available
- Glued invisible in the wall construction
- Precious timeless finish




ORDER CODE	DESCRIPTION
XP50-04.3000.W	Base plinth 3000 mm - White primer
XP50-04.3000.BL	Base plinth 3000 mm - Black primer

CONNECTION PARTS

PUSH VERSION




PULL VERSION




- | | | |
|-----------------------------|---------------------------|--|
| 1 X40 - X45 Frame | 4 Junction part XP50-C002 | 7 End piece for a clean stop XP50-C003 |
| 2 XP50 plinth XP50-3000 | 5 Inside corner XP50-45 | |
| 3 Connection part XP50-C001 | 6 Outside corner XP50+45 | |


EXPLODED VIEW -V FU 45° - UNIVERSAL FIXING




EXPLODED VIEW - T FU 90° - UNIVERSAL FIXING



EXPLODED VIEW - T FF75



EXPLODED VIEW - T FF100





Generaal Deprezstraat 2/010
8530 Harelbeke - Belgium

Tel.: +32 (0) 56 73 50 00
Fax: +32 (0) 56 72 02 70

info@xinnix.eu
www.xinnix.eu